

Formatierungshilfe / Grundlagen ⓘ

1. Fett, italic,

In Mein-Klassenzimmer können Texte ganz einfach formatiert werden.

Zum Beispiel wird

Kursiv

zu *Kursiv* oder

****Fett****

wird zu **Fett**.

2. Formatierung im laufenden Text

Now some inline markup like `_italics_`, `**bold**`, and ``code()``. Note that underscores in words are ignored in Markdown Extra.

Now some inline markup like *italics*, **bold**, and `code()`. Note that underscores in words are ignored in Markdown Extra.

3. Überschriften

```
# Header 1
## Header 2
### Header 3
#### Header 4
##### Header 5
```

Header 1

Header 2

Header 3

Header 4

Header 5

4. Absatz

This is a paragraph, which is text surrounded by whitespace. Paragraphs can be on one line (or many), and can drone on for hours.

This is a paragraph, which is text surrounded by whitespace. Paragraphs can be on one line (or many), and can drone on for hours.

5. Link in einem Text

Here is a Markdown link to [Warped](http://warpedvisions.org), and a literal . Now some SimpleLinks, like one to [google] (automagically links to are-you-feeling-lucky), a [wiki: test] link to a Wikipedia page, and a link to [foldoc: CPU]s at foldoc.

Here is a Markdown link to [Warped](#), and a literal . Now some SimpleLinks, like one to [google] (automagically links to are-you- feeling-lucky), a [wiki: test] link to a Wikipedia page, and a link to [foldoc: CPU]s at foldoc.

6. Bilder

```
![picture alt](https://www.mein-klassenzimmer.de/images/logo.png "Titel ist optional")
```



7. Listen

* Bullet lists are easy too
- Another one
+ Another one

- Bullet lists are easy too
- Another one
- Another one

8. Numerische Liste

1. A numbered list
2. Which is numbered
3. With periods and a space

1. A numbered list
2. Which is numbered
3. With periods and a space

9. Linie

* * * *
* * * *

10. Tabelle

Header	Header	Right
Cell	Cell	\$10
Cell	Cell	\$20

Header Header Right

Cell	Cell	\$10
Cell	Cell	\$20

oder

```
th | th(center) | th(right)
---|:-----:|-----:
td | td         | td
```

th th(center) th(right)

td	td	td
----	----	----

Tabelle mit Rahmen

```
{.table}
th | th | th
---|---|---
td | td | td
td | td | td2
```

th th th

td td td

td td td

Tabelle mit Streifen

```
{.table .table-striped}
th | th | th
---|---|---
td | td | td
td | td | td2
```

th th th

td td td

td td td

Weitere Variationen gibt es unter: <https://getbootstrap.com/docs/4.0/content/tables/>

11. Fußnoten

Duis mollis, est non commodo luctus, nisi erat porttitor ligula, eget lacinia odio sem nec elit. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi^[^note1] leo risus, porta ac consectetur ac, vestibulum at eros.

[^note1]: Elit Malesuada Ridiculus

Duis mollis, est non commodo luctus, nisi erat porttitor ligula, eget lacinia odio sem nec elit. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi¹ leo risus, porta ac consectetur ac.

1. Elit Malesuada Ridiculus ↩

13. Code

```
''' html
<html>
  <head></head>
  <body></body>
</html>
'''
```

```
<html>
  <head></head>
  <body></body>
</html>
```

14. ToDo

- [] Eintrag 1
- [x] Eintrag 2
- ☐ Eintrag 1

Formatierungshilfe / Grundlagen ⓘ

- ☒ Eintrag 2

oder

- [x] foo
- [] bar
- [x] baz
- [] bim
- ☒ foo
 - ☐ bar
 - ☒ baz
- ☐ bim